



Contents lists available at ScienceDirect

## Annual Reviews in Control

journal homepage: [www.elsevier.com/locate/arcontrol](http://www.elsevier.com/locate/arcontrol)Nonlinear stabilization in infinite dimension <sup>☆</sup>Miroslav Krstic <sup>\*</sup>, Nikolaos Bekiaris-Liberis

Department of Mechanical and Aerospace Engineering, University of California at San Diego, La Jolla, CA 92093, USA

## ARTICLE INFO

## Article history:

Received 23 May 2013

Accepted 31 August 2013

Available online 11 October 2013

## ABSTRACT

Significant advances have taken place in the last few years in the development of control designs for nonlinear infinite-dimensional systems. Such systems typically take the form of nonlinear ODEs (ordinary differential equations) with delays and nonlinear PDEs (partial differential equations). In this article we review several representative but general results on nonlinear control in the infinite-dimensional setting. First we present designs for nonlinear ODEs with constant, time-varying or state-dependent input delays, which arise in numerous applications of control over networks. Second, we present a design for nonlinear ODEs with a wave (string) PDE at its input, which is motivated by the drilling dynamics in petroleum engineering. Third, we present a design for systems of (two) coupled nonlinear first-order hyperbolic PDEs, which is motivated by slugging flow dynamics in petroleum production in off-shore facilities. Our design and analysis methodologies are based on the concepts of nonlinear predictor feedback and nonlinear infinite-dimensional backstepping. We present several simulation examples that illustrate the design methodology.

© 2013 Elsevier Ltd. All rights reserved.

## 1. Introduction

## 1.1. Motivation and historical background

The area of control design—most notably stabilization—for nonlinear finite-dimensional systems reached relative maturity around year 2000. The method of backstepping (Krstic, Kanellakopoulos, & Kokotovic, 1995), which played the central role in this development, particularly for systems with modeling uncertainties, then became the tool of interest for stabilization of infinite-dimensional systems. However, for almost a decade, the success in that direction remained limited to linear PDE (partial differential equation) systems (Krstic & Smyshlyaev, 2008). It is not until the last few years that this development has started yielding results for nonlinear infinite-dimensional systems.

The turning point in the development of control designs for nonlinear systems was the relatively little known two-part paper by Vazquez and Krstic (2008a, 2008b) where nonlinear infinite-dimensional operators of a Volterra type, with infinite sums of integrals in the spatial variable (rather than in time, as has been common in the input-output representation theory for ODEs for decades), were introduced for stabilization of nonlinear PDEs of the parabolic type. This design represents a proper infinite-dimensional extension of backstepping (and feedback linearization) designs for nonlinear ODEs. The design involves the construction of

the Volterra transformations whose kernel functions depend on increasing numbers of spatial variables (which go to infinity), and where the kernels are governed by PDEs in an increasing number of variables, on domains whose dimension goes to infinity, with the solutions of lower-order kernels being inputs to the PDEs for the higher-order kernels. This complex formulations turns out to be constructive and provably convergent, with a well-defined feedback law and a stability result in spatial norms that are appropriate for parabolic PDEs. All subsequent backstepping developments for infinite-dimensional nonlinear systems—whether for other PDE systems (Krstic, Magnis, & Vazquez, 2008, 2009) or for nonlinear delay systems (Krstic, 2010a)—are conceptually based on the technique laid out in Vazquez and Krstic (2008a, 2008b), although all such subsequent developments have been much less complex as they have been for less broad classes of nonlinear infinite-dimensional systems than parabolic PDEs with right-hand sides that contain spatial Volterra nonlinear operators.

Though they carry with them a wealth of mathematical challenges, nonlinear infinite-dimensional systems are not artificial mathematical inventions or esoteric generalizations of nonlinear ODEs. They are as ubiquitous in applications as ODEs. In fact, in numerous problems involving mechanics, fluids, thermal phenomena, chemistry, or telecommunications, ODE models are merely approximations of full models that incorporate PDEs and/or delay effects.

The most elementary systems in the broad class of nonlinear infinite-dimensional systems are nonlinear systems with input delays. They arise in numerous applications such as networked control systems (Cloosterman, van de Wouw, Heemels, & Nijmeijer, 2009; Heemels, Teel, van de Wouw, & Nescic, 2010; Hespanha,

<sup>☆</sup> An earlier version of this article was presented at the 9th IFAC Symposium on Nonlinear Control Systems, Toulouse, France, September 4–6, 2013.

<sup>\*</sup> Corresponding author.

E-mail address: [krstic@ucsd.edu](mailto:krstic@ucsd.edu) (M. Krstic).

Naghshabrizi, & Xu, 2007; Montestrucque & Antsaklis, 2004; Witrant, Canudas-de-Wit, Georges, & Alamir, 2007), supply networks (Sipahi, Lammer, Niculescu, & Helbing, 2006; Sterman, 2000), milling processes (Altintas, Engin, & Budak, 1999), irrigation channels (Litrico & Fromion, 2004), engine cooling systems (Hansen, Stoustrup, & Bendtsen, 2011) and chemical processes (Kravaris & Wright, 1989; Mounier & Rudolph, 1998), to name only a few (see also the survey by Richard (2003) for additional examples).

Although a nonlinear system with an input delay is as simple a problem as it gets within the realm of infinite-dimensional nonlinear systems, the design of stabilizing control laws for *general* nonlinear systems, such as strict-feedback (Krstic et al., 1995) and strict-feedforward (Krstic, 2004) systems and when the input delay is *arbitrary* large, is a highly non-trivial task (Krstic, 2010a). The situation is even more intricate when the delay is time-varying (Krstic, 2010b; Bekiaris-Liberis & Krstic, 2012), and becomes formidable when the delay depends on the state of the system itself (Bekiaris-Liberis & Krstic, 2013a). Several additional important results on the stabilization of nonlinear systems with input and state delays have been developed by Jankovic (2001, 2009), Karafyllis (2006, 2011), Karafyllis and Krstic (2012), Mazenc and Bliman (2006), Mazenc, Mondie, and Francisco (2004), and Mazenc and Niculescu (2011).

Once the designer is equipped with the capability to overcome a delay at the input, i.e., the transport PDE process in the actuator line, there is every reason to ask whether other types of infinite-dimensional dynamics at the input can be compensated. This line of pursuit for infinite-dimensional dynamics in the actuator line of a linear ODE plant was pursued by Krstic (2009b) for diffusion-dominated (parabolic) actuator dynamics and by Krstic (2009c) for wave PDE actuator dynamics. Several extensions, all considering linear ODE plants preceded by PDE actuator dynamics, are presented by Bekiaris-Liberis and Krstic (2010), Bekiaris-Liberis and Krstic (2011b), Krstic (2009a), Ren, Wang, and Krstic (2013), Susto and Krstic (2010), and Tang and Xie (2011a, 2011b). Extending those results from the case where the plant is a linear ODE to the case where the plant is a nonlinear ODE has proved much more challenging than for the case where the actuator dynamics are of the delay (transport PDE) type. Until recently, that is, as we show in this article and discuss next.

A representative engineering application in which wave PDE actuator dynamics are cascaded with a nonlinear ODE is oil drilling. A common type of instability in oil drilling is the so-called stick-slip oscillations (Jansen, 1993). This type of instability (which is caused by a specific composition of the ground material) results in torsional vibrations of the drillstring, which can in turn severely damage the drilling facilities (see Fig. 1 taken from Sagert, Di Meglio, Krstic, & Rouchon (2013)). The torsional dynamics of an oil




Fig. 1. A drillstring used in oil drilling. The angular displacement  $u$  of the drillstring is controlled through a torque  $U$ .

drillstring are modeled as a wave PDE (that describes the dynamics of the angular displacement of the drillstring) coupled with a nonlinear ODE that describes the dynamics of the bottom angular velocity of the drill bit (Saldivar, Mondie, Loiseau, & Rasvan, 2011). A control approach for the bottom angular velocity based on the linearization of its dynamics is presented in Sagert et al. (2013). In this article we present a design for general nonlinear ODE plants with a wave PDE as its actuator dynamics. This design solves the oil drilling problem (globally) as a special case. We also specialize our general design for wave PDE-ODE cascades to the case of a wave PDE whose uncontrolled end does not drive an ODE but is instead governed by a nonlinear Robin boundary condition (a “nonlinear spring”, as in the friction law in drilling).

Once PDE-ODE cascades are systematically addressed, it is reasonable to ask a question whether interconnections of multiple PDEs can be controlled, and not only in the cascade configuration but in more general and strongly “interwoven” configurations. In fact, such problems arise in numerous physical systems and have been considered in the PDE control literature for at least a decade (as it is explained in the next paragraph), albeit with limitations to the degree of open-loop instability that is permissible in the plant considered.

Systems of coupled, nonlinear first order hyperbolic PDEs model a variety of physical systems. Specifically,  $2 \times 2$  systems of first order hyperbolic quasilinear PDEs model processes such as open channels (Dos Santos & Prieur, 2008; Gugat & Leugering, 2003; Gugat, Leugering, & Schmidt, 2004; de Halleux, Prieur, Coron, d’Andréa-Novel, & Bastin, 2003), transmission lines (Curro, Fusco, & Manganaro, 2011), gas flow pipelines (Gugat & Dick, 2011) or road traffic models (Goatin, 2006). They also have some resemblances with systems that model the gas–liquid flow in oil production pipes (see Fig. 2 taken from Di Meglio, Krstic, Vazquez, & Petit (2012b)). The problem of stabilization for some classes of  $2 \times 2$  systems of first order hyperbolic quasilinear PDEs is considered by Coron, d’Andrea-Novel, and Bastin (2006), Dick, Gugat, and Leugering (2010), Dos Santos and Prieur (2008), Greenberg and Li (1984), Gugat and Herty (2011), Prieur (2009), Prieur, Winkin, and Bastin (2008).

## 1.2. Contents of the article

In this paper we present some recent results on the *compensation* of input delays in nonlinear systems employing predictor-based control laws. Predictor feedback was developed originally for unstable linear plants with input delays, see the early paper by Artstein (1982) that conceptualizes the results of the preceding decade generalizes them in several mathematically interesting directions. Yet, a nonlinear counterpart of predictor feedback was unavailable until recently (Krstic, 2010a). The design by Krstic (2010a) is based on




Fig. 2. An oil production pipe conveying oil and gas from a reservoir.

the introduction of a nonlinear infinite-dimensional backstepping transformation, which provides a Lyapunov functional for studying the stability of the closed-loop system. Although for linear systems with a time-varying input delay the formula of the predictor feedback law was provided by Nihtila (1991), for general nonlinear systems, predictor-based control laws were provided only recently by Bekiaris-Liberis and Krstic (2012). One of the most challenging problems in delay systems is the control of systems with state-dependent delays, as highlighted by Richard (2003). The first systematic approach for designing stabilizing controllers for nonlinear systems with state-dependent delays was introduced by Bekiaris-Liberis and Krstic (2013a). The design is based on predictor feedback. The key challenge that is resolved in Bekiaris-Liberis and Krstic (2013a) is the definition of the predictor state: The state-dependence of the delay makes the prediction horizon dependent on future values of the state which are unavailable.

We also consider finite-dimensional nonlinear plants which are controlled through a string and we design a predictor-based feedback law that *compensates* the string (wave) dynamics in the input of the plant. Our design is based on a preliminary transformation which allows one to convert the problem of the compensation of the wave PDE, to a problem of the compensation of a  $2 \times 2$  system of first order transport equations which convect in opposite directions (see, for example, Vazquez, Coron, & Krstic, 2011), for an augmented (by one integrator) plant. We then introduce the infinite-dimensional backstepping transformations for the two transport states, which transform the new, augmented system to a target system. With the aid of the backstepping transformations we prove global asymptotic stability of the closed-loop system by constructing a Lyapunov functional.

Finally, we review some recent results on the local exponential  $H_2$  stabilization of a  $2 \times 2$  system of first order hyperbolic quasilinear PDEs using backstepping developed by Coron, Vazquez, Krstic, and Bastin (submitted for publication) and Vazquez, Coron, Krstic, and Bastin (2011). Specifically, we present the design of a control law that stabilizes the linearized system using the recently developed backstepping technique of Vazquez et al. (2011) for  $2 \times 2$  systems of linear hyperbolic PDEs (see also Di Meglio, Vazquez, & Krstic (2012a) for an extension to  $n \times n$  systems). We then prove the local exponential stability of the closed-loop system in the  $H_2$  norm by constructing a strict Lyapunov functional with the aid of the backstepping transformations.

This paper is an expanded version of Krstic and Bekiaris-Liberis (2013).

### 1.3. Organization

Section 2 is devoted to nonlinear systems with input delays. We introduce the predictor-based design for constant delays in Section 2.1 For time-varying delays the predictor feedback design is presented in Section 2.2. State-dependent delays are treated in Section 2.3. In Section 3 we present a design that compensates the wave actuator dynamics in nonlinear systems. In Section 4 we are dealing with a  $2 \times 2$  system of first order quasilinear PDEs for which we design a control law that achieves local exponential stability.

## 2. Nonlinear systems with input delays

One of the main obstacles in designing globally stabilizing control laws for nonlinear systems with long input delays is the finite escape phenomenon. The input delay may be so large that the control signal cannot reach the plant before its state escapes to infinity. Therefore, in the following we assume that the plant  $\dot{X} = f(X, \omega)$  is forward complete, that is, for every initial condition

and every bounded input signal the corresponding solution is defined for all  $t \geq 0$ .

Our predictor-based designs are based on a (possibly time-varying) feedback law  $\kappa(t, X(t))$ , which is assumed to be periodic in its first argument and locally Lipschitz, that globally stabilizes the delay-free plant, i.e.,  $\dot{X}(t) = f(X(t), \kappa(t, X(t)))$  is globally asymptotically stable.

### 2.1. Constant delay

In this section we focus on nonlinear systems with constant input delay, i.e. systems of the form

$$\dot{X}(t) = f(X(t), U(t - D)). \quad (1)$$

The predictor-based control law for plant (1) is

$$U(t) = \kappa(t + D, P(t)) \quad (2)$$

$$P(t) = X(t) + \int_{t-D}^t f(P(\theta), U(\theta)) d\theta, \quad (3)$$

where the initial condition for the integral equation for  $P(t)$  is defined for all  $\theta \in [t_0 - D, t_0]$  ( $t_0$  is the initial time which must be given because the closed-loop system is time-varying) as

$$P(\theta) = X(t_0) + \int_{t_0-D}^{\theta} f(P(\sigma), U(\sigma)) d\sigma. \quad (4)$$

The signal  $P(t)$  represents the  $D$  time-units ahead predictor of  $X$ , i.e.,  $P(t) = X(t + D)$ . In the case of linear systems the predictor  $P(t)$  is given explicitly using the variation of constants formula, with the initial condition  $P(t - D) = X(t)$ , as  $P(t) = e^{AD}X(t) + \int_{t-D}^t e^{A(t-\theta)}BU(\theta)d\theta$ . For systems that are nonlinear,  $P(t)$  cannot be written explicitly, for the same reason as a nonlinear ODE cannot be solved explicitly. So we represent  $P(t)$  implicitly using the nonlinear integral Eq. (3). The computation of  $P(t)$  from (3) is straightforward with a discretized implementation in which  $P(t)$  is assigned values based on the right-hand side of (3), which involves earlier values of  $P$  and the values of the input  $U$ .

Together with the predictor-based control law (2) we define the infinite-dimensional backstepping transformation of the actuator state given by

$$W(t) = U(t) - \kappa(t + D, P(t)), \quad (5)$$

together with its inverse

$$U(t) = W(t) + \kappa(t + D, \Pi(t)), \quad (6)$$

where<sup>1</sup>

$$\Pi(t) = \int_{t-D}^t f(\Pi(\theta), \kappa(\theta + D, \Pi(\theta)) + W(\theta)) \times d\theta + X(t), \quad (7)$$

with initial condition for all  $\theta \in [t_0 - D, t_0]$

$$\Pi(\theta) = \int_{t_0-D}^{\theta} f(\Pi(\sigma), \kappa(\sigma + D, \Pi(\sigma)) + W(\sigma)) \times d\sigma + X(t_0). \quad (8)$$

The backstepping transformation maps the original system (1) into the “target system” given by

$$\dot{X}(t) = f(X(t), \kappa(t, X(t)) + W(t - D)) \quad (9)$$

$$W(t) = 0, \quad \text{for } t \geq t_0. \quad (10)$$

We have the following result. Its proof can be found in Krstic (2010a).

<sup>1</sup> The quantities  $P$  in (3) and  $\Pi$  in (7) are identical. However, we use two distinct symbols for the same quantity because, in one case,  $P$  is expressed in terms of  $X$  and  $U$ , for the direct backstepping transformation, while, in the other case,  $\Pi$  is expressed in terms of  $X$  and  $W$ , for the inverse backstepping transformation.

**Theorem 1.** Let  $\dot{X} = f(X, \omega)$  be forward complete and  $\dot{X}(t) = f(X(t), \kappa(t, X(t)))$  globally uniformly asymptotically stable. Consider the closed-loop system consisting of the plant (1) and the control law (2) and (3). There exists a class  $\mathcal{KL}$  function  $\beta$  such that for all initial conditions  $X(t_0) \in \mathbb{R}^n, U(t_0 + \theta); \theta \in [-D, 0] \in L^\infty[-D, 0]$  the following holds

$$\Omega(t) \leq \beta(\Omega(t_0), t - t_0) \tag{11}$$

$$\Omega(t) = |X(t)| + \sup_{t-D \leq \theta \leq t} |U(\theta)|, \tag{12}$$

for all  $t \geq t_0 \geq 0$ .

If the global asymptotic stability assumption in Theorem 1 is strengthened with an input-to-state stability assumption of the plant  $\dot{X}(t) = f(X(t), \kappa(t, X(t)) + \omega(t))$  with respect to  $\omega$ , one can construct a Lyapunov functional<sup>2</sup> for the closed-loop system. Towards that end we observe from the “target system” (9) and (10) that  $W(t - D)$  vanishes in finite time (in  $D$  time-units). Hence, under the input-to-state stability assumption on the plant  $\dot{X}(t) = f(X(t), \kappa(t, X(t)) + \omega(t))$  with respect to  $\omega$  one can construct a Lyapunov functional for the system in the  $(X, W)$  variables. Using Malisoff and Mazenc (2005) there exists a  $C^1$  function  $S: \mathbb{R}_+ \times \mathbb{R}^n \rightarrow \mathbb{R}_+$  and class  $\mathcal{K}_\infty$  functions  $\alpha_1, \alpha_2, \alpha_3, \alpha_4$  such that

$$\alpha_3(|X(t)|) \leq S(t, X(t)) \leq \alpha_4(|X(t)|) \tag{13}$$

$$\dot{S}(t, X(t)) \leq -\alpha_1(|X(t)|) + \alpha_2(|W(t - D)|) \tag{14}$$

$$\dot{S}(t, X(t)) = \frac{\partial S(t, X(t))}{\partial t} + \frac{\partial S(t, X(t))}{\partial X} \times f(X(t), \kappa(t, X(t)) + W(t - D)) \tag{15}$$

The Lyapunov functional for the “target system” is then

$$V(t) = S(t, X(t)) + \frac{2}{c} \int_0^{L(t)} \frac{\alpha_2(r)}{r} dr, \tag{16}$$

where  $\frac{\alpha_2(r)}{r}$  is a class  $\mathcal{K}$  function or  $\alpha_2$  has been appropriately majorized so this is true (with no generality loss),  $c > 0$  is arbitrary and

$$L(t) = \sup_{t-D \leq \theta \leq t} |e^{c(\theta-t+D)} W(\theta)|. \tag{17}$$

Using the inverse backstepping transformation (6) one can then prove stability in the original variables  $(X, U)$ . The functional  $L$  can be also written directly in terms of the original variables  $(X, U)$  as

$$L(t) = \sup_{t-D \leq \theta \leq t} |e^{c(\theta-t+D)} (U(\theta) - \kappa(\theta + D, P(\theta)))|, \tag{18}$$

where  $P$  is given in terms of  $(X, U)$  from (3). The two different representations of the functional  $L$ , namely, representations (17) and (18), reveal one of the benefits of the backstepping transformation: If the construction of the functional  $L$  in terms of the transformed actuator state  $W$  appears to be non-trivial, its form in terms of the original variables  $(X, U)$ , i.e., relation (18), is rather impossible to guess without the backstepping and predictor transformations.

Robustness of linear predictor feedback laws to small delay mismatches and to additive disturbances is shown in Krstic (2008b). Robustness of nonlinear predictor feedbacks to delay uncertainties is shown in Bekiaris-Liberis and Krstic (2013b). For discrete-time systems, robustness of predictor feedback laws to plant uncertainties is studied in Karafyllis and Krstic (in press).

## 2.2. Time-varying delay

In this section we consider plants of the form

$$\dot{X}(t) = f(X(t), U(t - D(t))), \tag{19}$$

where  $D$  is a positive-valued continuously differentiable function of time. We define the functions

$$\phi(t) = t - D(t) \tag{20}$$

$$\sigma(t) = \phi^{-1}(t), \tag{21}$$

and we refer to the quantity  $t - \phi(t) = D(t)$  as the delay time. This is the time interval that indicates how long ago the control signal that currently affects the plant was actually applied. The main goal of this section is to determine the predictor state, i.e., the quantity  $P$  such that  $X(\sigma(t)) = P(t)$ . From now on we refer to the quantity  $\sigma(t) - t$  as the prediction horizon. This is the time interval which indicates after how long an input signal that is currently applied affects the plant. In the constant delay case, the prediction horizon is equal to the delay time, i.e.,  $t - \phi(t) = D = \sigma(t) - t$ . The predictor-based control law is

$$U(t) = \kappa(\sigma(t), P(t)) \tag{22}$$

$$P(t) = X(t) + \int_{t-D(t)}^t \frac{f(P(\theta), U(\theta)) d\theta}{\phi'(\phi^{-1}(\theta))}, \tag{23}$$

with an initial condition for all  $\theta \in [t_0 - D(t_0), t_0]$  as

$$P(\theta) = X(t_0) + \int_{t_0-D(t_0)}^{\theta} \frac{f(P(\sigma), U(\sigma)) d\sigma}{\phi'(\phi^{-1}(\sigma))} \tag{24}$$

The fact that  $P(t) = X(\sigma(t))$  can be established by applying the change of variables  $t = \sigma(\tau)$  in (19).

From (23) one can observe that the function  $\frac{d\sigma(\theta)}{d\theta} = \frac{1}{\phi'(\phi^{-1}(\theta))}$  is employed in the control law. Therefore, one has to appropriately restrict the delay time  $D(t)$  such that  $\phi'(t) \neq 0$  for all  $t \geq 0$ . Actually, we impose the condition  $\phi'(t) > 0$  for all  $t \geq 0$ . The reason is that if  $\phi'(t) > 0$  for all  $t \geq 0$  then the control signal is able to reach the plant and it does not change the direction of propagation of the control signal (the plant keeps receiving control inputs that are never older than the ones it has already received). Besides the condition  $\phi'(t) > 0$  for all  $t \geq 0$ , which can be also expressed in terms of the delay function as  $\dot{D}(t) < 1$ , for all  $t \geq 0$ , we also assume that the delay cannot disappear instantaneously, i.e.,  $\phi'$  (or  $\dot{D}$ ) is bounded. Also, the delay has to be positive (to guarantee the causality of the system) and bounded (such that the control signal eventually reaches the plant).

We are now ready to state the following theorem, the proof of which can be found in Bekiaris-Liberis and Krstic (2012).

**Theorem 2.** Let  $\dot{X} = f(X, \omega)$  be forward complete and  $\dot{X}(t) = f(X(t), \kappa(t, X(t)))$  globally uniformly asymptotically stable. Let the delay time  $D(t) = t - \phi(t)$  be positive and uniformly bounded from above, and its rate  $\dot{D}(t)$  be smaller than one and uniformly bounded from below. Consider the closed-loop system consisting of the plant (19) and the control law (22) and (23). There exists a class  $\mathcal{KL}$  function  $\beta_v$  such that for all initial conditions  $X(t_0) \in \mathbb{R}^n$  and  $U(t_0 + \theta); \theta \in [-D(t_0), 0] \in L^\infty[-D(t_0), 0]$  the following holds

$$\Omega_v(t) \leq \beta_v(\Omega_v(t_0), t - t_0) \tag{25}$$

$$\Omega_v(t) = |X(t)| + \sup_{t-D(t) \leq \theta \leq t} |U(\theta)|, \tag{26}$$

for all  $t \geq t_0 \geq 0$ .

The proof of this result is based on the following equivalent representation of the plant (19) using a transport PDE representation for the actuator state (see also Fig. 3) as


$$\dot{X}(t) = f(X(t), u(0, t)) \tag{27}$$

$$u_t(x, t) = \pi(x, t) u_x(x, t), \quad x \in [0, 1] \tag{28}$$

$$u(1, t) = U(t), \tag{29}$$

where

<sup>2</sup> The availability of a Lyapunov functional enables one in principle, to study, robustness of the predictor feedback to parametric uncertainties, its disturbance attenuation properties, and the inverse-optimal re-design problem.



**Fig. 3.** Top: A nonlinear system with a delay in the input. Bottom: The equivalent representation of the delay/nonlinear ODE cascade using a transport PDE for the actuator state.

$$\pi(x, t) = \frac{1 + x \left( \frac{d(\phi^{-1}(t))}{dt} - 1 \right)}{\phi^{-1}(t) - t}, \quad (30)$$

and  $\phi(t)$  is defined in (20). The choice of the transport speed  $\pi(x, t)$  is guided by the fact that we seek a representation for the infinite-dimensional actuator state  $u(x, t)$  such that relations (29) and

$$u(0, t) = U(\phi(t)), \quad (31)$$

are satisfied. One can verify that  $u(x, t)$  is given by

$$u(x, t) = U(\phi(t + x(\phi^{-1}(t) - t))), \quad (32)$$

and consequently both (29) and (31) are satisfied. For a more detailed discussion about the choice of the transport speed  $\pi(x, t)$  we refer the reader to Krstic (2009a). Analogously with representation (27)–(30) of the plant, an equivalent representation of the predictor defined in (23) is as

$$p(1, t) = (\phi^{-1}(t) - t) \int_0^1 f(p(y, t), u(y, t)) dy + X(t), \quad (33)$$

where for all  $x \in [0, 1]$

$$p(x, t) = P(\phi(t + x(\phi^{-1}(t) - t))). \quad (34)$$

With this representation for the predictor state we are able to define the backstepping transformation of the actuator state as

$$w(x, t) = u(x, t) - \kappa(t + x(\phi^{-1}(t) - t), p(x, t)). \quad (35)$$

Noting that the predictor state  $p(x, t)$  satisfies

$$p(x, t) = (\phi^{-1}(t) - t) \int_0^x f(p(y, t), u(y, t)) dy + X(t), \quad (36)$$

and using the control law (22), system (27)–(29) is mapped to the following “target system”

$$\dot{X}(t) = f(X(t), \kappa(t, X(t)) + w(0, t)) \quad (37)$$

$$w_t(x, t) = \pi(x, t) w_x(x, t), \quad x \in [0, 1] \quad (38)$$

$$w(1, t) = 0. \quad (39)$$

One can then construct a Lyapunov functional for the target system, as in the constant delay case, under the assumption that the plant  $\dot{X}(t) = f(X(t), \kappa(t, X(t)) + \omega(t))$  is input-to-state stable with respect to  $\omega$  (instead of just globally asymptotically stable when  $\omega = 0$ ). The Lyapunov functional is given in terms of the transformed actuator state as

$$V_v(t) = S(t, X(t)) + \frac{2b}{c} \int_0^{L_v(t)} \frac{\alpha_2(r)}{r} dr, \quad (40)$$

where  $c > 0$  is arbitrary,  $b > 0$  is a constant that depends on the delay  $D$ , and  $S, \alpha_2$  are defined in (14) and

$$L_v(t) = \sup_{x \in [0, 1]} |e^{cx} w(x, t)| = \lim_{n \rightarrow \infty} \left( \int_0^1 e^{2ncx} w^{2n}(x, t) dx \right)^{\frac{1}{2n}}. \quad (41)$$

### 2.3. State-dependent delay

In this section we concentrate on nonlinear systems with state-dependent input delay, i.e.,

$$\dot{X}(t) = f(X(t), U(t - D(X(t)))), \quad (42)$$

where  $D$  is a nonnegative-valued continuously differentiable function. The main challenge in the case of systems with state-dependent delays is the determination of the predictor state. For systems with constant delays,  $D = \text{const}$ , the predictor of the state  $X(t)$  is simply defined as  $P(t) = X(t + D)$ . For systems with state-dependent delays finding the predictor  $P(t)$  is much trickier. The time when  $U$  reaches the system depends on the value of the state at that time, namely, the following implicit relationship holds  $P(t) = X(t + D(P(t)))$  (and  $X(t) = P(t - D(X(t)))$ ).

The predictor-based controller for the plant (42) is

$$U(t) = \kappa(\sigma(t), P(t)), \quad (43)$$

where the predictor state  $P$  and the prediction time  $\sigma$  are

$$P(t) = \int_{t-D(X(t))}^t \frac{f(P(s), U(s)) ds}{1 - \nabla D(P(s)) f(P(s), U(s))} + X(t), \quad (44)$$

$$\sigma(t) = t + D(P(t)), \quad (45)$$

respectively. The initial predictor  $P(\theta)$ ,  $\theta \in [t_0 - D(X(t_0)), t_0]$ , is

$$P(\theta) = \int_{\theta - D(X(t_0))}^{\theta} \frac{f(P(s), U(s)) ds}{1 - \nabla D(P(s)) f(P(s), U(s))} + X(t_0). \quad (46)$$

The fact that  $P(t)$  given in (44) is the  $\sigma(t) - t = D(P(t))$  time units ahead predictor of  $X(t)$ , i.e.,  $P(t) = X(\sigma(t))$ , can be established by performing a change of variables  $t = \sigma(\tau)$  in the ODE for  $X(t)$  given in (42) and noting from relations  $\phi(t) = t - D(X(t))$  and  $\sigma(t) = \phi^{-1}(t)$  that  $D(X(\sigma(t))) = \sigma(t) - t$ , which implies in particular that

$$\frac{d\sigma(t)}{dt} = \frac{1}{1 - \nabla D(P(t)) f(P(t), U(t))}. \quad (47)$$

As in the case of time-varying delays  $\phi'$  and  $D$  must be positive and bounded. The positiveness of  $\phi'$  (or equivalently of  $\sigma'$ ) is guaranteed by imposing the following condition on the solutions

$$\mathcal{F}_c : \quad \nabla D(P(\theta)) f(P(\theta), U(\theta)) < c, \quad \text{for all } \theta \geq t_0 - D(X(t_0)), \quad (48)$$

for  $c \in (0, 1]$ . We refer to  $\mathcal{F}_1$  as the *feasibility condition* of the controller (43)–(45). Due to this condition, we obtain a local result. Boundedness of  $\phi'$  and  $D$  is then guaranteed by the boundedness of the system's norm. We obtain the following result. Its proof can be found in Bekiaris-Liberis & Krstic (2013a).

**Theorem 3.** Let  $\dot{X} = f(X, \omega)$  be forward complete and  $\dot{X}(t) = f(X(t), \kappa(t, X(t)))$  globally uniformly asymptotically stable. Consider the closed-loop system consisting of the plant (42) and the control law (43)–(45). There exist a class  $\mathcal{K}$  function  $\psi_{\text{RoA}}$  and a class  $\mathcal{KL}$  function  $\beta_s$  such that for all initial conditions  $X(t_0) \in \mathbb{R}^n$  such that  $U$  is locally Lipschitz on the interval  $[t_0 - D(X(t_0)), t_0]$  and which satisfy

$$\Omega_s(t_0) < \psi_{\text{RoA}}(c), \quad (49)$$

for some  $0 < c < 1$ , where

$$\Omega_s(t) = |X(t)| + \sup_{t-D(X(t)) \leq \theta \leq t} |U(\theta)|, \quad (50)$$

the following holds

$$\Omega_s(t) \leq \beta_s(\Omega_s(t_0), t - t_0), \quad (51)$$

for all  $t \geq t_0 \geq 0$ . Furthermore, there exists a class  $\mathcal{K}$  function  $\delta^*$  such that, for all  $t \geq t_0 \geq 0$ ,

$$D(X(t)) \leq D(0) + \delta^*(c), \tag{52}$$

$$|\dot{D}(X(t))| \leq c. \tag{53}$$

A Lyapunov functional for the closed-loop system consisting of the plant (42) and the control law (43)–(45) is

$$V_s(t) = S(t, X(t)) + \frac{2}{g} \int_0^{L_s(t)} \frac{\alpha_2(r)}{r} dr, \tag{54}$$

where  $g > 0$  is arbitrary,  $S, \alpha_2$  are defined in (14) and

$$L_s(t) = \sup_{t-D(X(t)) \leq \theta \leq t} |e^{g(\theta+D(P(\theta))-t)} W(\theta)|, \tag{55}$$

$$W(\theta) = U(\theta) - \kappa(\theta + D(P(\theta)), P(\theta)), \tag{56}$$

where  $P$  is given in terms of  $(X; U)$  in (44).

Note that there might be cases in which  $V_s(t)$  is not continuously differentiable along the trajectories of the closed-loop system. For example, in the case in which the solution  $X(t)$  is not continuously differentiable for all  $t \geq t_0$ .

### 2.4. Examples

The first example illustrates the fact that global stabilization is not possible even for linear systems.

**Example 2.1.** We consider a scalar unstable system with a Lyapunov-like delay

$$\dot{X}(t) = X(t) + U(t - X(t)^2). \tag{57}$$

The delay-compensating controller is

$$U(t) = -2P(t), \tag{58}$$

where

$$P(t) = \int_{t-X(t)^2}^t \frac{(P(s) + U(s))ds}{1 - 2P(s)(P(s) + U(s))} + X(t). \tag{59}$$

In Fig. 4 we show the response of the system and the function  $\phi(t) = t - X(t)^2$  for four different initial conditions of the state and with the initial conditions for the input chosen as  $U(\theta) = 0, -X(0)^2 \leq \theta \leq 0$ . We choose  $X(0) = 0.15, 0.25, 0.35, X^*$ . With  $X^*$  we denote the critical value of  $X(0)$  for the given initial condition of the input, such that, for any  $X(0) \geq X^*$ , the control inputs produced by the feedback law (58) and (59) for positive  $t$  never reach the plant. We calculate this time as follows: The function  $\phi(t) = t - X(0)^2 e^{2t}$  has a maximum at  $t^*$  if  $\log\left(\frac{1}{\sqrt{2X(0)^2}}\right) = t^* > 0$ .

Since  $\phi(t^*) = \log\left(\frac{1}{\sqrt{2X(0)^2}}\right) - \frac{1}{2}$  has to be positive for the control to reach the plant, it follows  $X^* = \frac{1}{\sqrt{2e}} = 0.43$ .

In the following example we consider the stabilization problem of a mobile robot with an input delay that grows with the distance of the robot from then reference position.

**Example 2.2.** We consider the problem of stabilizing a mobile robot modeled as



$$\dot{x}(t) = v(t - D(x(t), y(t))) \cos(\theta(t)) \tag{60}$$

$$\dot{y}(t) = v(t - D(x(t), y(t))) \sin(\theta(t)) \tag{61}$$

$$\dot{\theta}(t) = \omega(t - D(x(t), y(t))), \tag{62}$$

subject to an input delay that grows with the distance relative to the reference position as

$$D(x(t), y(t)) = x(t)^2 + y(t)^2, \tag{63}$$



**Fig. 4.** Response of system (57) with the controller (58) and (59) with initial conditions  $U(\theta) = 0, -X(0)^2 \leq \theta \leq 0$  and four different initial conditions for the state  $X(0) = 0.15, 0.25, 0.35, 0.43$ .

where  $(x(t), y(t))$  is position of the robot,  $\theta(t)$  is heading,  $v(t)$  is speed and  $\omega(t)$  is turning rate. When  $D = 0$  a time-varying stabilizing controller is proposed in Pommet (1992) as

$$\omega(t) = -5P(t)^2 \cos(3\phi^{-1}(t)) - P(t)Q(t) \times (1 + 25 \cos^2(3\phi^{-1}(t))) - \Theta(t) \tag{64}$$

$$v(t) = -P(t) + 5Q(t)(\sin(3\phi^{-1}(t)) - \cos(3\phi^{-1}(t))) + Q(t)\omega(t) \tag{65}$$

$$P(t) = X(t) \cos(\Theta(t)) + Y(t) \sin(\Theta(t)) \tag{66}$$

$$Q(t) = X(t) \sin(\Theta(t)) - Y(t) \cos(\Theta(t)), \tag{67}$$

with

$$X = x, \quad Y = y, \quad \Theta = \theta, \quad \phi^{-1}(t) = t. \tag{68}$$

The proposed method replaces (68) with

$$X(t) = \int_{t-D(x(t), y(t))}^t \frac{d\sigma(s)}{ds} v(s) \cos(\Theta(s)) ds + x(t) \tag{69}$$

$$Y(t) = \int_{t-D(x(t), y(t))}^t \frac{d\sigma(s)}{ds} v(s) \sin(\Theta(s)) ds + y(t) \tag{70}$$


$$\Theta(t) = \theta(t) + \int_{t-D(x(t), y(t))}^t \frac{d\sigma(s)}{ds} \omega(s) ds \tag{71}$$

$$\sigma(t) = t + D(X(t), Y(t)) \tag{72}$$

$$\dot{\sigma}(s) = \frac{1}{1 - 2v(s)g(s)} \tag{73}$$

$$g(s) = X(s) \cos(\Theta(s)) + Y(s) \sin(\Theta(s)). \tag{74}$$

The initial conditions are chosen as  $x(0) = y(0) = \theta(0) = 1$  and  $\omega(s) = v(s) = 0$  for all  $-x(0)^2 - y(0)^2 \leq s \leq 0$ . From the given initial conditions we get the initial conditions for the predictors (69)–(71) as  $X(s) = Y(s) = \Theta(s) = 1$  for all  $-2 \leq s \leq 0$ . From the above



**Fig. 5.** The trajectory of the robot model (60)–(62), with the compensated controller (64)–(67), (69)–(74) (solid line) and the uncompensated controller (64)–(68) (dashed line) with initial conditions  $x(0) = y(0) = \theta(0) = 1$  and  $\omega(s) = \nu(s) = 0$  for all  $-x(0)^2 - y(0)^2 \leq s \leq 0$ .

initial conditions for the predictors one can verify that the system initially lies inside the feasibility region. The controller “kicks in” at the time instant  $t_0$  at which  $t_0 = x(t_0)^2 + y(t_0)^2$ . Since  $\nu(s) = \omega(s) = 0$  for  $s < 0$  we conclude that  $x(t) = y(t) = \theta(t) = 1$  for all  $0 \leq t \leq t_0$  and hence,  $t_0 = 2$ . In Fig. 5 we show the trajectory of the robot in the  $xy$  plane, whereas in Fig. 6 we show the resulting state-dependent delay and the controls  $\nu(t)$  and  $\omega(t)$ . In the case of the uncompensated controller (64)–(68), the system is unstable, the delay grows approximately linearly in time, and the vehicle’s trajectory is a divergent Archimedean spiral. The compensated controller (64)–(67), (69)–(74) recovers the delay-free behavior after 2 seconds. From Fig. 5 one can also conclude that the heading  $\theta(t)$  in the case of the compensated controller converges to zero with damped oscillations, whereas in the case of the uncompensated controller it increases towards negative infinity (the robot moves clockwise on a spiral).

### 3. Nonlinear systems with a wave PDE in the input


In this section we consider the following system

$$\dot{X}(t) = f(X(t), u(0, t)) \tag{75}$$


$$u_{tt}(x, t) = u_{xx}(x, t) \tag{76}$$

$$u_x(0, t) = h(X(t), u(0, t)) \tag{77}$$

$$u_x(1, t) = U(t), \tag{78}$$



**Fig. 6.** Top: The delay (63) for the robot model (60)–(62) with the controller (64)–(67), (69)–(74) (solid line) and the controller (64)–(68) (dashed line) with initial conditions  $x(0) = y(0) = \theta(0) = 1$  and  $\omega(s) = \nu(s) = 0$  for all  $-x(0)^2 - y(0)^2 \leq s \leq 0$ . Bottom: The control efforts  $\nu(t)$  and  $\omega(t)$  for the robot model (60)–(62) with the controller (64)–(67), (69)–(74) with initial conditions  $x(0) = y(0) = \theta(0) = 1$  and  $\omega(s) = \nu(s) = 0$  for all  $-x(0)^2 - y(0)^2 \leq s \leq 0$ .



**Fig. 7.** Top: A nonlinear system with a wave PDE in the input. Bottom: The equivalent representation of the wave PDE/nonlinear ODE cascade using the change of variables (79) and (80).

where  $X \in \mathbb{R}^n$ ,  $U \in \mathbb{R}$ ,  $t \in \mathbb{R}_+$ ,  $f : \mathbb{R}^n \times \mathbb{R} \rightarrow \mathbb{R}^n$  is locally Lipschitz with  $f(0,0) = 0$ , and  $h : \mathbb{R}^{n+1} \rightarrow \mathbb{R}$  is continuously differentiable with  $h(0,0) = 0$ . Our controller design is based on converting the wave equation to a  $2 \times 2$  system of first order transport equations which convect in opposite directions (see Fig. 7). To achieve this we define the following transformations

$$\zeta(x, t) = u_t(x, t) + u_x(x, t) \tag{79}$$

$$\omega(x, t) = u_t(x, t) - u_x(x, t), \tag{80}$$

together with their inverses given by

$$u_t(x, t) = \frac{\zeta(x, t) + \omega(x, t)}{2} \tag{81}$$

$$u_x(x, t) = \frac{\zeta(x, t) - \omega(x, t)}{2}. \tag{82}$$

Noting from (77) that it holds that  $\zeta(0, t) = u_t(0, t) + h(X(t), \zeta(t))$  and defining

$$\xi(t) = u(0, t), \tag{83}$$

system (75)–(78) is written as

$$\dot{Z}(t) = g(Z(t), \zeta(0, t)) \tag{84}$$

$$\omega_t(x, t) = -\omega_x(x, t) \tag{85}$$

$$\omega(0, t) = \zeta(0, t) - 2h(Z(t)) \tag{86}$$

$$\zeta_t(x, t) = \zeta_x(x, t) \tag{87}$$

$$\zeta(1, t) = U(t) + u_t(1, t), \tag{88}$$

where

$$Z = \begin{bmatrix} X \\ \xi \end{bmatrix} \tag{89}$$

$$g(Z, v) = \begin{bmatrix} f(X, \xi) \\ -h(X, \xi) + v \end{bmatrix}. \tag{90}$$

Our feedback design, that compensates the wave actuator dynamics, is based on applying the predictor approach to a nominal feedback law  $\mu^* : \mathbb{R}^{n+1} \rightarrow \mathbb{R}$  that stabilizes the plant  $\dot{Z} = g(Z, U)$  defined in (84), i.e., a nominal feedback law for the following system

$$\dot{X}(t) = f(X(t), \xi(t)) \tag{91}$$

$$\dot{\xi}(t) = -h(X(t), \xi(t)) + U(t). \tag{92}$$

Note that such a nominal control law for the augmented system (91) and (92) can be constructed, using one step of backstepping, if there exists a control law  $\kappa$  that stabilizes the plant  $\dot{X} = f(X, U)$ , i.e., such that  $\dot{X} = f(X, \kappa(X))$  is globally asymptotically stable. A choice of the feedback law  $\mu^*$  is then

$$\mu^*(X(t), \xi(t)) = \mu(X(t), \xi(t)) + h(X(t), \xi(t)) \tag{93}$$

$$\mu(X(t), \xi(t)) = -c_1(\xi(t) - \kappa(X(t))) + \frac{\partial \kappa(X(t))}{\partial X} f(X(t), \xi(t)). \tag{94}$$

Noting that the input to the  $Z$  system is the delayed version of the signal  $\zeta(1, t) = U(t) + u_t(1, t)$  we conclude that our control law has to employ the prediction of  $Z$ .

The predictor-based control law that compensates the wave dynamics is chosen as  $U(t) = -u_t(1, t) + \mu^*(X(t+1), \xi(t+1))$  and is given by

$$U(t) = -u_t(1, t) - c_1(p_2(1, t) - \kappa(p_1(1, t))) + \frac{\partial \kappa(p_1(1, t))}{\partial p_1} f(p_1(1, t), p_2(1, t)) + h(p_1(1, t), p_2(1, t)), \tag{95}$$

where  $c_1 > 0$  is arbitrary, and  $p_1 \in \mathbb{R}^n$  and  $p_2 \in \mathbb{R}$ , the predictors of  $X(t)$  and  $u(0, t)$ , respectively, are defined for all  $x \in [0, 1]$  as

$$p_1(x, t) = X(t) + \int_0^x f(p_1(y, t), p_2(y, t)) dy \tag{96}$$

$$p_2(x, t) = u(x, t) + \int_0^x u_t(y, t) dy - \int_0^x h(p_1(y, t), p_2(y, t)) dy, \tag{97}$$

with initial conditions for all  $x \in [0, 1]$

$$p_1(x, 0) = X(0) + \int_0^x f(p_1(y, 0), p_2(y, 0)) dy \tag{98}$$

$$p_2(x, 0) = u(x, 0) + \int_0^x u_t(y, 0) dy - \int_0^x h(p_1(y, 0), p_2(y, 0)) dy. \tag{99}$$

The name “predictors” for  $p_1$  and  $p_2$  is chosen to emphasize that  $p_1(1, t)$  and  $p_2(1, t)$  are actually the 1-time unit ahead predictors of  $X(t)$  and  $u(0, t)$  respectively, i.e., it holds that  $p_1(1, t) = X(t+1)$  and  $p_2(1, t) = u(0, t+1)$ . This fact is shown in the next section.<sup>3</sup> Note that the control law (95) is implementable (see Karafyllis (2011) and Karafyllis & Krstic (2012) for a discussion on the implementation of nonlinear predictors).

Defining for any  $v \in H_1(0, 1)$

$$\|v(t)\|_{H_1} = \left( \int_0^1 v(x, t)^2 dx \right)^{\frac{1}{2}} + \left( \int_0^1 v_x(x, t)^2 dx \right)^{\frac{1}{2}}, \tag{100}$$

we are ready to state the following result.

**Theorem 4.** Consider the closed-loop system consisting of the plant (75)–(78) and the control law (95)–(97). Let the system  $\dot{Z} = g(Z, v)$  be forward complete, and the system  $\dot{X} = f(X, \kappa(X) + v)$  input-to-state stable (ISS) with respect to  $v$ . Then, for any initial condition  $u(\cdot, 0) \in H_2(0, 1)$ ,  $u_t(\cdot, 0) \in H_1(0, 1)$  which is compatible with the feedback law (95) and is such that  $u_x(0, 0) = h(X(0), u(0, 0))$ , there exist a class  $\mathcal{KL}$  function  $\beta$  such that for all  $t \geq 0$

$$\Omega(t) \leq \beta(\Omega(0), t) \tag{101}$$

$$\Omega(t) = |X(t)| + \|u(t)\|_{\infty} + \|u_t(t)\|_{H_1} + \|u_x(t)\|_{H_1}. \tag{102}$$

The proof of Theorem 4 is based on the introduction of the following backstepping transformation of  $\zeta$  defined through (87) and (88)

$$z(x, t) = \zeta(x, t) - \mu(p(x, t)) - h(p(x, t)), \tag{103}$$

for all  $x \in [0, 1]$ , where for all  $x \in [0, 1]$

$$p(x, t) = Z(t) + \int_0^x g(p(y, t), \zeta(y, t)) dy, \tag{104}$$

and  $\mu$  is defined in (94). Transformation (103) and (104) and the control law (95)–(97) transform system (84)–(88) to the target system given by (see also Fig. 8)

$$\dot{Z}(t) = g(Z(t), \mu^*(Z(t)) + z(0, t)) \tag{105}$$

$$\omega_t(x, t) = -\omega_x(x, t) \tag{106}$$

$$\omega(0, t) = z(0, t) + \mu(Z(t)) - h(Z(t)) \tag{107}$$

$$z_t(x, t) = z_x(x, t) \tag{108}$$

$$z(1, t) = 0. \tag{109}$$

One can then construct the following Lyapunov functional for the target system (105)–(109)

$$V(t) = \tilde{\rho}_1(V_1(t)) + \tilde{\rho}_2(V_2(t)) \tag{110}$$

$$V_1(t) = \int_0^1 e^{c(1-x)} \omega(x, t)^2 dx + \int_0^1 e^{c(1-x)} \omega_x(x, t)^2 dx + 2 \int_0^1 e^{c(1+x)} z_x(x, t)^2 dx, \tag{111}$$

$$V_2(t) = S(Z(t)) + \frac{2}{c} \int_0^{\|z(t)\|_{c, H_1}} \frac{\alpha_2(\sqrt{2}r)}{r} dr \tag{112}$$

where  $\tilde{\rho}_1, \tilde{\rho}_2$  are some appropriately defined class  $\mathcal{K}_{\infty}$  functions,  $c > 0$  is arbitrary,  $\|z(t)\|_{c, H_1} = \left( \int_0^1 e^{c(1+x)} z(x, t)^2 dx \right)^{\frac{1}{2}} + \left( \int_0^1 e^{c(1+x)} z_x(x, t)^2 dx \right)^{\frac{1}{2}}$ , and  $S$  and  $\alpha_2$  are defined in (14). Using the

<sup>3</sup> Another way to see this is as follows. Construct first the standard 1-time unit ahead predictor for  $Z$  satisfying (84) as  $P(t) = Z(t) + \int_{t-1}^t g(P(\theta), \Xi(\theta)) d\theta$ , where  $\Xi(t+x-1) = \zeta(x, t)$  (see Krstic, 2009a). Defining  $P(t+x-1) = p(x, t)$  we rewrite the predictor as  $p(1, t) = Z(t) + \int_0^1 g(p(x, t), \zeta(x, t)) dx$ . Using definitions (89) and (90) and noting that  $p_2(1, t) = u(0, t) + \int_0^1 u_x(x, t) dx + \int_0^1 u_t(x, t) dx - \int_0^1 h(p_1(x, t), p_2(x, t)) dx$ , we get after integrating  $u_x$  relations (96) and (97) for  $x = 1$ .






Fig. 8. The target system (105)–(109) used in the stability analysis of Theorem 4, where  $Z, g$  are defined in (89) and (90), and  $\mu^*$  in (93).

fact that the inverse backstepping transformation of  $\zeta$  is defined for all  $x \in [0, 1]$  as<sup>4</sup>

$$\zeta(x, t) = z(x, t) + \mu(\pi(x, t)) + h(\pi(x, t)), \tag{113}$$

where for all  $x \in [0, 1]$

$$\begin{aligned} \pi(x, t) = Z(t) + \int_0^x g(\pi(y, t), \mu(\pi(y, t)) + h(\pi(y, t)) \\ + z(y, t)) dy, \end{aligned} \tag{114}$$

one can then show stability of the original system.

Theorem 4 is new even for the case of a lone wave PDE (i.e., not coupled with an ODE) with anti-collocated nonlinear stiffness, i.e., the system

$$u_{tt}(x, t) = u_{xx}(x, t) \tag{115}$$

$$u_x(0, t) = h(u(0, t)) \tag{116}$$

$$u_x(1, t) = U(t). \tag{117}$$

The control law for (115)–(117) is derived from the original control law (95)–(97) as

$$U(t) = -u_t(1, t) - c_1 p_2(1, t) + h(p_2(1, t)), \tag{118}$$

where for all  $x \in [0, 1]$

$$p_2(x, t) = u(x, t) + \int_0^x u_t(y, t) dy - \int_0^x h(p_2(y, t)) dy. \tag{119}$$

The control law (118) and (119) globally asymptotically stabilizes the plant (115)–(117) under a forward completeness assumption for the system  $\dot{\zeta} = -h(\zeta) + v$  with respect to the input  $v$ .

### 3.1. Examples

We illustrate the control design for the special case of a lone wave PDE in the following example.

**Example 3.1.** Consider system (115)–(117) with  $h(u(0, t)) = u(0, t)^3 - u(0, t)$ . Hence, system  $\dot{\zeta}(t) = -\zeta(t)^3 + \zeta(t) + U(t)$  is forward complete. The predictor-based feedback law (118) is

$$U(t) = -u_t(1, t) - 2p_2(1, t) + p_2(1, t)^3, \tag{120}$$

where

$$\begin{aligned} p_2(1, t) = u(1, t) + \int_0^1 u_t(x, t) dx - \int_0^1 (p_2(1, t))^2 \\ - p_2(1, t) dx. \end{aligned} \tag{121}$$

<sup>4</sup> To see this first observe that  $\pi(0, t) = Z(t)$ , and hence, combining (107) and (113) we get (86). Since  $\pi$  satisfies the initial value problem  $\pi_x(x, t) = g(\pi(x, t), \mu(\pi(x, t)) + h(\pi(x, t)) + z(x, t))$ ,  $\pi(0, t) = Z(t)$ , using (103) and (104) and the fact that  $p(0, t) = Z(t)$  we conclude that  $p$  and  $\pi$  satisfy the same initial value problem. From the uniqueness of solutions we conclude that  $p \equiv \pi$ , and hence,  $\pi_t(x, t) = \pi_x(x, t)$ . Therefore,  $\zeta$  in (113) satisfies (87).





Fig. 9. The response of the state of the plant (115)–(117) with  $h(u(0, t)) = u(0, t)^3 - u(0, t)$  (left), under the control law (120) and (121) (right) for initial conditions  $u(x, 0) = u_t(x, 0) = 1$ , for all  $x \in [0, 1]$ .

In Fig. 9 we show the response of the closed-loop system consisting of (115)–(117) with  $h(u(0, t)) = u(0, t)^3 - u(0, t)$  and the control law (120) and (121), and the control effort for initial conditions as  $u(x, 0) = u_t(x, 0) = 1$  for all  $x \in [0, 1]$ . As one can observe the proposed control law achieves stabilization.

## 4. Systems of nonlinear hyperbolic PDEs

In this section we present the results developed by Coron et al. (submitted for publication) and Vazquez, Coron, Krstic, and Bastin (2011). We consider the following system

$$0 = z_t(x, t) + A(z(x, t), x)z_x(x, t) + f(z(x, t), x), \tag{122}$$

with the following boundary conditions

$$z_1(0, t) = G_0(z_2(0, t)) \tag{123}$$

$$z_2(1, t) = U(t), \tag{124}$$

where  $x \in [0, 1], z : [0, 1] \times [0, \infty) \rightarrow \mathbb{R}^2, A : \mathbb{R}^2 \times [0, 1] \rightarrow \mathcal{M}_{2,2}(\mathbb{R}), f : \mathbb{R}^2 \times [0, 1] \rightarrow \mathbb{R}^2$ , with  $\mathcal{M}_{2,2}$  denoting the set of  $2 \times 2$  real matrices. We further assume that  $A(z, x)$  is twice continuously differentiable with respect to  $z$  and  $x$ , and we assume that (possibly after an appropriate state transformation)  $A(0, x)$  is a diagonal matrix with nonzero eigenvalues  $A_1(x), A_2(x)$  which are, respectively, positive and negative, i.e., for all  $x \in [0, 1]$

$$\begin{aligned} A(0, x) = \text{diag}(A_1(x), A_2(x)), \\ A_1(x) > 0, A_2(x) < 0, \end{aligned} \tag{125}$$

where  $\text{diag}(A_1, A_2)$  denotes the diagonal matrix with  $A_1$  in the first position of the diagonal and  $A_2$  in the second. We also assume that  $f(0, x) = 0$ , implying that there is an equilibrium at the origin, and that  $f$  is twice continuously differentiable with respect to  $z$ . Denote

$$\frac{\partial f}{\partial z}(0, x) = \begin{bmatrix} f_{11}(x) & f_{12}(x) \\ f_{21}(x) & f_{22}(x) \end{bmatrix} \quad (126)$$

and assume that  $f_{ij} \in C^1([0, 1])$ . Finally, we assume that  $G_0(x)$  is twice differentiable and vanishes at the origin. We seek a control law  $U(t)$  that makes the origin of (122)–(124) locally exponentially stable. Our control design is based on the linearization of system (122)–(124). Before we linearize system (122)–(124) around the origin we rescale the variable  $z$  so that we make the linear part of  $f$  anti-diagonal since we present our linear design for the case of an anti-diagonal linear  $f$  (with no generality loss). Defining the new variable  $w$  as

$$w = \Phi(x)z \quad (127)$$

$$\Phi(x) = \text{diag}(\phi_1(x), \phi_2(x)), \quad (128)$$

where

$$\phi_1(x) = e^{\int_0^x \frac{f_{11}(y)}{f_{11}(y)} dy} \quad (129)$$

$$\phi_2(x) = e^{-\int_0^x \frac{f_{22}(y)}{f_{22}(y)} dy}, \quad (130)$$

we rewrite system (122)–(124) in the new variables as (see Fig. 10)

$$0 = w_t(x, t) - \Sigma(x)w_x(x, t) - C(x)w(x, t) + A_{NL}(w(x, t), x)w_x(x, t) + f_{NL}(w(x, t), x), \quad (131)$$

with boundary conditions as

$$w_1(0, t) = qw_2(0, t) + G_{NL}(w_2(0, t)) \quad (132)$$

$$w_2(1, t) = V(t), \quad (133)$$

where

$$\Sigma(x) = -A(0, x) \quad (134)$$

$$C(x) = \begin{bmatrix} 0 & -f_{12}(x) \\ -f_{21}(x) & 0 \end{bmatrix} \quad (135)$$

$$V(t) = \phi_2(1)U(t) \quad (136)$$

$$q = \frac{dG_0(0)}{dz}, \quad (137)$$

and the nonlinear perturbation terms  $A_{NL}$  and  $f_{NL}$  are such that  $A_{NL}(0, x) = 0, f_{NL}(0, x) = \frac{\partial f_{NL}}{\partial w}(0, x) = 0, G_{NL}(0) = 0$ .

Our design is based on a backstepping design for the linear part of system (131). Defining  $w = [u \quad v]^T, A_1 = \epsilon_1, A_2 = -\epsilon_2, f_{12} = -c_1$  and  $f_{21} = -c_2$  we rewrite the linear part of system (131) as

$$u_t(x, t) = -\epsilon_1(x)u_x(x, t) + c_1(x)v(x, t) \quad (138)$$

$$v_t(x, t) = \epsilon_2(x)v_x(x, t) + c_2(x)u(x, t) \quad (139)$$

$$u(0, t) = qv(0, t) \quad (140)$$

$$v(1, t) = V(t). \quad (141)$$

System (138)–(141) is mapped to the following “target system”

$$\alpha_t(x, t) = -\epsilon_1(x)\alpha_x(x, t) \quad (142)$$

$$\beta_t(x, t) = \epsilon_2(x)\beta_x(x, t) \quad (143)$$

$$\alpha(0, t) = q\beta(0, t) \quad (144)$$

$$\beta(1, t) = 0, \quad (145)$$

using the invertible backstepping transformation

$$\alpha(x, t) = u(x, t) - \int_0^x K^{uu}(x, \xi)u(\xi, t)d\xi - \int_0^x K^{uv}(x, \xi)v(\xi, t)dy\xi \quad (146)$$

$$\beta(x, t) = v(x, t) - \int_0^x K^{vu}(x, \xi)u(\xi, t)d\xi - \int_0^x K^{vv}(x, \xi)v(\xi, t)d\xi, \quad (147)$$

and the control law

$$V(t) = \int_0^1 K^{vu}(1, x)u(x, t)dx + \int_0^1 K^{vv}(1, x)v(x, t)dx. \quad (148)$$




Fig. 10. Top: A  $2 \times 2$  quasilinear system of transport PDEs. Bottom: An equivalent representation of the system as a nonlinear transport PDE/nonlinear transport PDE cascade with boundary and in domain coupling.

The kernels of the backstepping transformation satisfy the following  $2 \times 2$  system of linear hyperbolic PDEs on the triangular domain  $\mathcal{T} = \{(x, \xi) : 0 \leq \xi \leq x \leq 1\}$  which can be shown to be well-posed (Vazquez et al. (2011))

$$\epsilon_1(x)K_x^{uu} + \epsilon_1(\xi)K_\xi^{uu} = -\epsilon_1'(\xi)K^{uu} - c_2(\xi)K^{uv} \quad (149)$$

$$\epsilon_1(x)K_x^{uv} - \epsilon_2(\xi)K_\xi^{uv} = \epsilon_2'(\xi)K^{uv} - c_1(\xi)K^{uu} \quad (150)$$

$$\epsilon_2(x)K_x^{vu} - \epsilon_1(\xi)K_\xi^{vu} = \epsilon_1'(\xi)K^{vu} + c_2(\xi)K^{vv} \quad (151)$$

$$\epsilon_2(x)K_x^{vv} + \epsilon_2(\xi)K_\xi^{vv} = -\epsilon_2'(\xi)K^{vv} + c_2(\xi)K^{vu}, \quad (152)$$

with boundary conditions

$$K^{uu}(x, 0) = \frac{\epsilon_2(0)}{q\epsilon_1(0)}K^{uv}(x, 0) \quad (153)$$

$$K^{uv}(x, x) = \frac{c_1(x)}{\epsilon_1(x) + \epsilon_2(x)} \quad (154)$$

$$K^{vu}(x, x) = -\frac{c_2(x)}{\epsilon_1(x) + \epsilon_2(x)} \quad (155)$$

$$K^{vv}(x, 0) = \frac{\epsilon_1(0)}{q\epsilon_2(0)}K^{vu}(x, 0). \quad (156)$$

Using definition (127) and (136), the control law for the original nonlinear system (122)–(124) is

$$U(t) = \frac{1}{\phi_2(1)} \int_0^1 K^{vu}(1, x)\phi_1(x)z_1(x, t)dx + \frac{1}{\phi_2(1)} \times \int_0^1 K^{vv}(1, x)\phi_2(x) \times z_2(x, t)dx. \quad (157)$$

With the control law (157) the boundary condition (124) for the closed-loop system is written as

$$z_1(1, t) = \frac{1}{\phi_2(1)} \int_0^1 K^{vu}(1, x)\phi_1(x)z_1(x, t)dx + \frac{1}{\phi_2(1)} \times \int_0^1 K^{vv}(1, x)\phi_2(x) \times z_2(x, t)dx. \quad (158)$$

Defining the  $H_2$  norm of  $z = [z_1 \quad z_2]^T$  as

$$\|z(t)\|_{H_2} = \int_0^1 z(x, t)^T z(x, t)dx + \int_0^1 z_x(x, t)^T z_x(x, t)dx + \int_0^1 z_{xx}(x, t)^T z_{xx}(x, t)dx, \quad (159)$$

and imposing the following compatibility conditions

$$0 = z_1(0, 0) - G_0(z_2(0, 0)) \quad (160)$$

$$0 = z_2(1, 0) - \frac{1}{\phi_2(1)} \int_0^1 K^{vu}(1, x) \phi_1(x) \times z_1(x, 0) dx - \frac{1}{\phi_2(1)} \int_0^1 K^{vv}(1, x) \phi_2(x) \times z_2(x, 0) dx \quad (161)$$

$$0 = -A_1(z(0, 0), 0)z_{1,x}(0, 0) - f_1(z(0, 0), 0) + G'_0(z_2(0, 0))(A_2(z(0, 0), 0)z_{2,x}(0, 0) + f_2(z(0, 0), 0)) \quad (162)$$

$$0 = \int_0^1 \frac{K^{vu}(1, x) \phi_1(x)}{\phi_2(1)} A_1(z(x, 0), x) z_{1,x}(x, 0) dx + \int_0^1 \frac{K^{vu}(1, x) \phi_1(x)}{\phi_2(1)} f_1(z(x, 0), x) dx + \int_0^1 \frac{K^{vv}(1, x) \phi_2(x)}{\phi_2(1)} (A_2(z(x, 0), x) \times z_{2,x}(x, 0) + f_2(z(x, 0), x)) dx - A_2(z(1, 0), 1) z_{2,x}(1, 0) - f_2(z(1, 0), 1), \quad (163)$$

we obtain the following result.

**Theorem 5.** Consider the closed-loop system (122), (123), (158). Under the assumptions that  $A \in C^2(\mathbb{R}^2 \times [0, 1])$ ,  $f(\cdot, x) \in C^2(\mathbb{R}^2)$ ,  $\frac{\partial f(0, \cdot)}{\partial z} \in C^1([0, 1])$ ,  $G_0 \in C^2(\mathbb{R})$ , for all initial condition  $z_0 \in H_2([0, 1])$  that satisfy the compatibility conditions (161)–(163), there exist  $\delta > 0$ ,  $\lambda > 0$  and  $c > 0$  such that if  $\|z(0)\|_{H_2} < \delta$ , then for all  $t \geq 0$

$$\|z(t)\|_{H_2} \leq ce^{-\lambda t} \|z(0)\|_{H_2}. \quad (164)$$

Note that the compatibility conditions (161) and (163) depend on our feedback laws and therefore are not natural. They can be omitted by considering a dynamical extension (see Coron et al. (submitted for publication)). The proof of Theorem 5 is based on employing the linear backstepping transformation (146) and (147) on the rescaled nonlinear system (131), which results in the following target system

$$\gamma_t - \Sigma(x)\gamma_x + F_3[\gamma, \gamma_x] + F_4[\gamma] = 0, \quad (165)$$

where  $\gamma = [\alpha \ \beta]^T$  and  $F_3, F_4$  are nonlinear functionals of  $\gamma$  and  $\gamma_x$  (see Coron et al. (submitted for publication) for details). The  $H_2$  local exponential stability of the target system can be then studied with the following Lyapunov functional

$$S(t) = U(t) + V(t) + W(t) \quad (166)$$

$$U(t) = \int_0^1 \gamma^T(x, t) D(x) \gamma(x, t) dx \quad (167)$$

$$V(t) = \int_0^1 \gamma_{tt}^T(x, t) R[\gamma](x) \gamma_t(x, t) dx \quad (168)$$

$$W(t) = \int_0^1 \gamma_{tt}^T(x, t) R[\gamma](x) \gamma_{tt}(x, t) dx, \quad (169)$$

where  $D(x) = \text{diag}(D_1(x), D_2(x))$  is positive definite for all  $x \in [0, 1]$  and  $R[\gamma]$  is a symmetric and positive definite matrix for all  $\sup_{x \in [0, 1]} |\gamma(x, t)| < \delta$ .

## 5. Conclusions

In our development we assume that the nonlinear plant under consideration is forward complete and globally stabilizable. However, our predictor-based design can be applied to systems that are not forward complete (but they are globally stabilizable in the absence of the input delay) Krstic (2008) and to systems that are only locally stabilizable Bekiaris-Liberis and Krstic (2013a). One of the topics of ongoing research is to extend the predictor idea to nonlinear systems with distributed input and state delays (see Bekiaris-Liberis and Krstic (2011a) and Bekiaris-Liberis and

Krstic (2011b) for linear results) and to systems with input-dependent delay.

Although we focus on the stabilization of a wave PDE/nonlinear ODE cascade, our results opens an opportunity to tackle stabilization problems of other PDE/nonlinear ODE cascades, for example, when the PDE is of diffusive type.

We present results on the stabilization of  $2 \times 2$  systems of first order hyperbolic quasilinear PDEs assuming measurement of the first state. Yet, we remove this requirement in Vazquez, Krstic, Coron, and Bastin (2012) where we design an output feedback control law. In the future we would like to extend the present methodology to the case of  $n \times n$  systems. For the linear case an extension to  $n \times n$  systems is presented in Di Meglio et al. (2012a) for system that have  $n$  positive and one negative transport speeds, with actuation only on the state corresponding to the negative velocity.

## Acknowledgement

We thank Rafael Vazquez, Jean-Michel Coron, Georges Bastin, and Florent Di Meglio for their results and contributions that we have incorporated in this review paper.

## References

- Altintas, Y., Engin, S., & Budak, E. (1999). Analytical stability prediction and design of variable pitch cutters. *ASME Journal of Manufacturing Science and Engineering*, 121, 173–178.
- Artstein, Z. (1982). Linear systems with delayed controls: A reduction. *IEEE Transactions on Automatic Control*, 27, 869–879.
- Bekiaris-Liberis, N., & Krstic, M. (2010). Compensating the distributed effect of a wave PDE in the actuation or sensing path of MIMO LTI systems. *Systems & Control Letters*, 59, 713–719.
- Bekiaris-Liberis, N., & Krstic, M. (2011a). Lyapunov stability of linear predictor feedback for distributed input delay. *IEEE Transactions on Automatic Control*, 56, 655–660.
- Bekiaris-Liberis, N., & Krstic, M. (2011b). Compensating distributed effect of diffusion and counter-convection in multi-input and multi-output LTI systems. *IEEE Transactions on Automatic Control*, 56, 637–642.
- Bekiaris-Liberis, N., & Krstic, M. (2012). Compensation of time-varying input and state delays for nonlinear systems. *Journal of Dynamic Systems, Measurement, and Control*, 134, paper 011009.
- Bekiaris-Liberis, N., & Krstic, M. (2013a). Compensation of state-dependent input delay for nonlinear systems. *IEEE Transactions on Automatic Control*, 58, 275–289.
- Bekiaris-Liberis, N., & Krstic, M. (2013b). Robustness of nonlinear predictor feedback laws to time- and state-dependent delay perturbations. *Automatica*, 49, 1576–1590.
- Cloosterman, M. B. G., van de Wouw, N., Heemels, W. P. M. H., & Nijmeijer, H. (2009). Stability of networked control systems with uncertain time-varying delays. *IEEE Transactions on Automatic Control*, 54, 1575–1580.
- Coron, J.-M., d'Andrea-Novet, B., & Bastin, G. (2006). A strict Lyapunov function for boundary control of hyperbolic systems of conservation laws. *IEEE Transactions on Automatic Control*, 52, 2–11.
- Coron, J.-M., Vazquez, R., Krstic, M., & Bastin, G. (submitted for publication). Local exponential  $H_2$  stabilization of a  $2 \times 2$  quasilinear hyperbolic system using backstepping <<http://arxiv.org/abs/1208.6475>>.
- Curro, C., Fusco, D., & Manganaro, N. (2011). A reduction procedure for generalized Riemann problems with application to nonlinear transmission lines. *Journal of Physics A: Mathematical Theory*, 44, paper 335205.
- de Halleux, J., Prieur, C., Coron, J.-M., d'Andréa-Novet, B., & Bastin, G. (2003). Boundary feedback control in networks of open channels. *Automatica*, 39, 1365–1376.
- Dick, M., Gugat, M., & Leugering, G. (2010). Classical solutions and feedback stabilisation for the gas flow in a sequence of pipes. *Networks and Heterogeneous Media*, 5, 691–709.
- Di Meglio, F., Vazquez, R., & Krstic, M. (2012). Stabilization of a linear hyperbolic system with one boundary controlled transport PDE coupled with  $n$  counterconvecting PDEs. In *Proceedings of the IEEE conference on decision and control*.
- Di Meglio, F., Krstic, M., Vazquez, R., & Petit, N. (2012). Backstepping stabilization of an underactuated  $3 \times 3$  linear hyperbolic system of fluid flow transport equations. In *American control conference*.
- Dos Santos, V., & Prieur, C. (2008). Boundary control of open channels with numerical and experimental validations. *IEEE Transactions on Control System Technology*, 16, 1252–1264.
- Goatin, P. (2006). The Aw-Rascle vehicular traffic flow model with phase transitions. *Mathematical and Computer Modeling*, 44, 287–303.
- Greenberg, J.-M., & Li, T.-T. (1984). The effect of boundary damping for the quasilinear wave equations. *Journal of Differential Equations*, 52, 66–75.

- Gugat, M., & Dick (2011). Time-delayed boundary feedback stabilization of the isothermal Euler equations with friction. *Mathematical Control and Related Fields*, 1, 469–491.
- Gugat, M., & Herty, M. (2011). Existence of classical solutions and feedback stabilization for the flow in gas networks. *ESAIM Control Optimization and Calculus of Variations*, 17, 28–51.
- Gugat, M., & Leugering, G. (2003). Global boundary controllability of the de St. Venant equations between steady states. *Annales de l'Institut Henri Poincaré (C) Non Linéaire*, 20, 1–11.
- Gugat, M., Leugering, G., & Schmidt, E. (2004). Global controllability between steady supercritical flows in channel networks. *Mathematical Methods in Applied Science*, 27, 781–802.
- Hansen, M., Stoustrup, J., & Bendtsen, J.-D. (2011). Modeling of nonlinear marine cooling systems with closed circuit flow. In *Proceedings of the 18th IFAC world congress*. Milan.
- Heemels, W. P. M. H., Teel, A. R., van de Wouw, N., & Nesić, D. (2010). Networked control systems with communication constraints: Tradeoffs between transmission intervals, delays and performance. *IEEE Transactions on Automatic Control*, 55, 1781–1796.
- Hespanha, J. P., Naghshtabrizi, P., & Xu, Y. (2007). A survey of recent results in networked control systems. *Proceedings of the IEEE*, 95, 138–162.
- Jankovic, M. (2001). Control Lyapunov–Razumikhin functions and robust stabilization of time delay systems. *IEEE Transactions on Automatic Control*, 46, 1048–1060.
- Jankovic, M. (2009). Cross-term forwarding for systems with time delay. *IEEE Transactions on Automatic Control*, 54, 498–511.
- Jansen, J.D. (1993). *Nonlinear dynamics of oilwell drillstrings*. Ph.D. thesis. Delft University of Technology.
- Karafyllis, I. (2006). Finite-time global stabilization by means of time-varying distributed delay feedback. *SIAM Journal of Control Optimization*, 45, 320–342.
- Karafyllis, I. (2011). Stabilization by means of approximate predictors for systems with delayed input. *SIAM Journal on Control and Optimization*, 49, 1100–1123.
- Karafyllis, I., & Krstic, M. (in press). Robust predictor feedback for discrete-time systems with input delays. *International Journal of Control*.
- Karafyllis, I., & Krstic, M. (2012). Nonlinear stabilization under sampled and delayed measurements, and with inputs subject to delay and zero-order hold. *IEEE Transactions on Automatic Control*, 57, 1141–1154.
- Kravaris, C., & Wright, R. A. (1989). Deadtime compensation for nonlinear processes. *AIChE Journal*, 35, 1535–1542.
- Krstic, M. (2004). Feedback linearizability and explicit integrator forwarding controllers for classes of feedforward systems. *IEEE Transactions on Automatic Control*, 49, 1668–1682.
- Krstic, M. (2008). On compensating long actuator delays in nonlinear control. *IEEE Transactions on Automatic Control*, 53, 1684–1688.
- Krstic, M. (2008b). Lyapunov tools for predictor feedbacks for delay systems: Inverse optimality and robustness to delay mismatch. *Automatica*, 44, 2930–2935.
- Krstic, M. (2009a). *Delay compensation for nonlinear, adaptive, and PDE systems*. Birkhauser.
- Krstic, M. (2009b). Compensating actuator and sensor dynamics governed by diffusion PDEs. *Systems and Control Letters*, 58, 372–377.
- Krstic, M. (2009c). Compensating a string PDE in the actuation or sensing path of an unstable ODE. *IEEE Transactions on Automatic Control*, 54, 1362–1368.
- Krstic, M. (2010a). Input delay compensation for forward complete and feedforward nonlinear systems. *IEEE Transactions on Automatic Control*, 55, 287–303.
- Krstic, M. (2010b). Lyapunov stability of linear predictor feedback for time-varying input delay. *IEEE Transactions on Automatic Control*, 55, 554–559.
- Krstic, M., & Bekiaris-Liberis, N. (2013). Nonlinear stabilization in infinite dimension. In *9th IFAC symposium on nonlinear control systems*.
- Krstic, M., Kanellakopoulos, I., & Kokotovic, P. V. (1995). *Nonlinear and adaptive control design*. Wiley.
- Krstic, M., Magnis, L., & Vazquez, R. (2008). Nonlinear stabilization of shock-like unstable equilibria in the viscous Burgers PDE. *IEEE Transactions on Automatic Control*, 53, 1678–1683.
- Krstic, M., Magnis, L., & Vazquez, R. (2009). Nonlinear control of the viscous Burgers equation: Trajectory generation, tracking, and observer design. *Journal of Dynamic Systems, Measurement, and Control*, 131, paper 021012 (8 pages).
- Krstic, M., & Smyshlyayev, A. (2008). *Boundary control of PDEs: A course on backstepping designs*. SIAM.
- Litrco, X., & Fromion, V. (2004). Analytical approximation of open-channel flow for controller design. *Applied Mathematical Modelling*, 28, 677–695.
- Malisoff, M., & Mazenc, F. (2005). Further remarks on strict input-to-state stable Lyapunov functions for time-varying systems. *Automatica*, 41, 1973–1978.
- Mazenc, F., & Bliman, P.-A. (2006). Backstepping design for time-delay nonlinear systems. *IEEE Transactions on Automatic Control*, 51, 149–154.
- Mazenc, F., Mondie, S., & Francisco, R. (2004). Global asymptotic stabilization of feedforward systems with delay at the input. *IEEE Transactions on Automatic Control*, 49, 844–850.
- Mazenc, F., & Niculescu, S.-I. (2011). Generating positive and stable solutions through delayed state feedback. *Automatica*, 47, 525–533.
- Mondie, S., & Michiels, W. (2003). Finite spectrum assignment of unstable time-delay systems with a safe implementation. *IEEE Transactions on Automatic Control*, 48, 2207–2212.
- Montestruque, L. A., & Antsaklis, P. (2004). Stability of model-based networked control systems with time-varying transmission lines. *IEEE Transactions on Automatic Control*, 49, 1562–1572.
- Mounier, H., & Rudolph, J. (1998). Flatness-based control of nonlinear delay systems: A chemical reactor example. *International Journal of Control*, 71, 871–890.
- Nihtila, M. (1991). Finite pole assignment for systems with time-varying input delays. In *Proceedings of the IEEE conference on decision and control*.
- Pomet, J.-B. (1992). Explicit design of time-varying stabilizing control laws for a class of controllable systems without drift. *Systems & Control Letters*, 18, 147–158.
- Prieur, C. (2009). Control of systems of conservation laws with boundary errors. *Networks and Heterogeneous Media*, 4, 393–407.
- Prieur, C., Winkin, J., & Bastin, G. (2008). Robust boundary control of systems of conservation laws. *Mathematics of Control, Signals, and Systems*, 20, 173–197.
- Ren, B., Wang, J.-M., & Krstic, M. (2013). Stabilization of an ODE-Schrodinger cascade <http://flyingv.ucsd.edu/papers/PDF/167.pdf>. *Systems & Control Letters*, 62, 503–510.
- Richard, J.-P. (2003). Time-delay systems: An overview of some recent advances and open problems. *Automatica*, 39, 1667–1694.
- Sagert, C., Di Meglio, F., Krstic, M., & Rouchon, P. (2013). Backstepping and flatness approaches for stabilization of the stick-slip phenomenon for drilling. In *IFAC symposium on system structure and control*.
- Saldivar, M.B., Mondie, S., Loiseau, J.-J., & Rasvan, V. (2011). Stick-Slip oscillations in oilwell drillstrings: Distributed Parameter and neutral type retarded model approaches. In *Proceedings of the 18th IFAC world congress*.
- Sipahi, R., Lammer, S., Niculescu, S.-I., & Helbing, D. (2006). On stability analysis and parametric design of supply networks under the presence of transportation delays. In *Proceedings of the ASME-IMECE conference*.
- Sterman, J.D. (2000). *Business dynamics: Systems thinking and modeling for a complex world*. Boston: McGraw-Hill.
- Susto, G. A., & Krstic, M. (2010). Control of PDE-ODE cascades with Neumann interconnections. *Journal of the Franklin Institute*, 347, 284–314.
- Tang, S., & Xie, C. (2011a). State and output feedback boundary control for a coupled PDE-ODE system. *Systems & Control Letters*, 60, 540–545.
- Tang, S., & Xie, C. (2011b). Stabilization for a coupled PDE-ODE control system. *Journal of the Franklin Institute*, 348, 2142–2155.
- Vazquez, R., Coron, J.-M., Krstic, M., & Bastin, G. (2011). Local exponential  $H_2$  stabilization of a  $2 \times 2$  quasilinear hyperbolic system using backstepping. In *IEEE conference on decision and control*.
- Vazquez, R., Coron, J.-M., & Krstic, M. (2011). Backstepping boundary stabilization and state estimation of a  $2 \times 2$  linear hyperbolic system. In *IEEE conference on decision and control*.
- Vazquez, R., Krstic, M., Coron, J.-M., & Bastin, G. (2012). Collocated output-feedback stabilization of a  $2 \times 2$  quasilinear hyperbolic system using backstepping. In *American control conference*.
- Vazquez, R., & Krstic, M. (2008a). Control of 1-D parabolic PDEs with Volterra nonlinearities – Part I: Design. *Automatica*, 44, 2778–2790.
- Vazquez, R., & Krstic, M. (2008b). Control of 1-D parabolic PDEs with Volterra nonlinearities – Part II: Analysis. *Automatica*, 44, 2791–2803.
- Witrant, E., Canudas-de-Wit, C. C., Georges, D., & Alamir, M. (2007). Remote stabilization via communication networks with a distributed control law. *IEEE Transactions on Automatic Control*, 52, 1480–1485.

**Miroslav Krstic** holds the Daniel L. Alspach endowed chair and is the founding director of the Cymer Center for Control Systems and Dynamics at UC San Diego. He also serves as Associate Vice Chancellor for Research at UCSD. Krstic is a recipient of the PECASE, NSF Career, and ONR Young Investigator Awards, as well as the Axelby and Schuck Paper Prizes. Krstic was the first recipient of the UCSD Research Award in the area of engineering (immediately following the Nobel laureate in Chemistry Roger Tsien) and has held the Russell Severance Springer Distinguished Visiting Professorship at UC Berkeley and the Harold W. Sorenson Distinguished Professorship at UCSD. He is a Fellow of IEEE and IFAC and serves as Senior Editor in IEEE Transactions on Automatic Control and Automatica. He has served as Vice President of the IEEE Control Systems Society and chair of the IEEE CSS Fellow Committee. Krstic has coauthored nine books on adaptive, nonlinear, and stochastic control, extremum seeking, control of PDE systems including turbulent flows, and control of delay systems.

**Nikolaos Bekiaris-Liberis** is currently a postdoctoral researcher at both the departments of Electrical Engineering and Computer Sciences, and Civil and Environmental Engineering at the University of California, Berkeley. He received his PhD degree from the department of Mechanical and Aerospace Engineering at the University of California, San Diego. He has coauthored the book *Nonlinear Control Under Nonconstant Delays* (SIAM, 2013). His research interests include control of delay systems, control of distributed parameter systems, and nonlinear control.